

DATA SHEET

RUNPO 5 + XB300 - MULTI-SET

Profi cable roller for drums, loose cable bundles and individual wires

Item no.: 10171



Detailed image:



Advantages RUNPO 5:

extremely good
bending properties

Detailed info
see Page 3



Application images:
XB 300 with cable + drum



DATA

Recommended trade price in EURO / excluding VAT

ITEM NO	10171
CASE SIZE OUTER	B 405 mm L 440 mm H 136 mm
WEIGHT INCL. CASE	5,10 kg
DIMENSION	XB 300: Ø 300 mm Multi-function mandrel: Ø 430 mm
EAN-Code	9120045476552

DESCRIPTION

The compact X-BOARD - XB300 is a universal professional cable winder/unwinder for all small to medium cable reels. The XB300 impresses with its small, light and flat design, but can still be loaded up to 300 kg. Especially suitable for damaged cable drums. Due to the removable mandrel, cable drums with different hole sizes can be used. The multi-function mandrel has been specially developed for the X BOARD XB 300 cable rolling system. Loose cable bundles can also be rolled by attaching them to the stainless steel centre mandrel of the XB 300 and then folding out the 4 side brackets. 6 rubberised feet ensure a non-slip and stable base. Optimal for protecting surfaces for already finished floor coverings. Stowed in RUNPOTEC system-case - Sorti-mo compatible

RUNPO 5 / 30m: triple twisted special plastic tape incl. 2 x RUNPOGLEITER with twist compensation at the beginning and end of the spiral therefore extremely good bending and sliding properties – in plastic box – 270 kg total breaking load – almost breakproof

Optimum area of application:

XB 300: rolling of (damaged) cable drums up to max. 300 kg and loose cable bundles or individual wires up to a max. height of 294 mm and a max. diameter of 430 mm
RUNPO 5: for pipe dimensions 16 mm - 40 mm

Application video: a short, very informative application video can be viewed by scanning the QR code or on www.runpotec.com.

Scope of delivery: 1 psc XB 300 incl. multi-function mandrel, 1 psc RUNPO 5 / 30 Meter in box stowed in RUNPOTEC system case

ADVANTAGES

XB 300 Profi cable roller

- Universal cable drum rewinder and unwinder
- Compact - lightweight -
- Loadable up to 300 kg
- Excellent for damaged cable drums
- No cable clutter
- Non-slip and stable base

MULTI-FUNCTION MANDREL:

- Can be used in combination with XB 300 and XB 500
- allows loose cable bundles and individual wires to be rolled
- Telescopic centre mandrel, extendable up to 294 mm

this allows high cable bundles or corresponding tube bundles to be accommodated

RUNPO 5 Profi-cablepulling system

- 50 % less friction resistance
- 270 kg total breaking load
- Almost breakproof
- Guide tip (RUNPOGLEITER) with integrated twist compensation
- 2 RUNPOGLEITER with twist compensation at the start and end of the spiral

DATA SHEET

X BOARD – Profi-cable roller

XB300 – Ø 300 mm

Item no.: 10137



Possible applications



DATA

ITEM NO.	10137
DIMENSION	L 300 x B 300 x H 101 mm
DIAMETER Ø	300 mm
LOAD BEARING CAPACITY	300 kg
DRUM WIDTH	variabel
WEIGHT	1,26 kg
HEIGHT	105 mm
MANDREL Ø mm	15 mm 45 mm
EAN-CODE	9120045475623

DESCRIPTION

The compact X-BOARD - XB300 is a universal professional cable winder/unwinder for all small to medium cable reels.

The XB300 impresses with its small, light and flat design, but can still be loaded up to 300 kg.

Especially suitable for damaged cable drums.

It enables trouble-free and rational working without tangled cables.

6 rubberised feet ensure a non-slip and stable base. Optimal for protecting surfaces for already finished floor coverings.

Due to the removable mandrel, cable drums with different hole sizes can be used.

Application video: a short, very informative application video can be viewed by scanning the QR code (top left) or on www.runpotec.com.

Scope of delivery: 1 piece X BOARD XB 300 incl. X BOARD mandrel

ADVANTAGES

- **Universal cable drum rewinder and unwinder**

For all types of cables and cable drums even with very small inner diameters.

- **Compact - lightweight -**

1.26 kg net weight

- **Loadable up to 300 kg**

- **Excellent for damaged cable drums**

- **No cable clutter**

Trouble-free and rational work approach.

Non-slip and stable base

INFORMATION

Optional accessories:

Multi-function mandrel

Item no: 20696



Click here Productinformation

System-case universal

Item no.: 20613



Click here Productinformation

Alternative Cable roller

X-BOARD XB 500

Item no.: 10136



Click here Productinformation

DATASHEET

RUNPO 5 - Profi -cable pulling system
optimal for pipe diameters 16 mm - 40 mm
Item no.: **10013** | **10014**




Application examples:

Almost breakproof



Advantage over fiberglass



Strand + pressing + RUNPOGLIDER



DATA

ITEM NO.	10013	10014
LENGTH	20 m	30 m
TOTAL WEIGHT	1,06 kg	1,30 kg
DIMENSIONS	H 45 / B 315 / T 395	
MATERIAL	triple twisted special plastic tape	
Ø ROD	5,3 mm	
BENDING RADIUS	15 mm	
TOTAL BREAKING LOAD	270 kg	
TUBE DIAMETER	for pipe dimensions 16 mm - 40 mm	
EAN-Code	9120045472806	9120045472813

ADVANTAGES

- **50% less frictional resistance**
- **270 kg Total breaking load**
- **Virtually break-free**
even with the tightest radii
- **Advantages compared to glass fibre rod**
no buckling, sticking => time savings
- **Guide tip (RUNPOGLEITER) with integrated twist compensation**
- **2 RUNPOGLEITER with twist compensation at the start and end of the spiral**

DESCRIPTION

The RUNPO5 is another innovation by RUNPOTEC and a genuine "all-rounder". The patented viewfinder tip, the RUNPOGLEITER with twist compensation allows even the tightest radii to be overcome, with a total breaking load of an incredible 270 kg in relation to the entire pulling system. The special plastic strap with a diameter of 5.3 mm and a triple twist has an even better shearing effect than the 3 mm glass fibre rod; the frictional resistance is only half the normal value due to spot contact. Labour- and time-consuming repair work is no longer necessary, as this cable pulling system is virtually breakage-free. The RUNPO5 can be stored in a very practical box in lengths of 20 m and 30 m. The 40 m RUNPO5 strap cannot be stored in the box.

Optimal field of application: for pipe dimensions 16 mm - 40 mm

Application video: a short, very informative application video can be viewed by scanning the QR code or on www.runpotec.com.

Scope of delivery: RUNPO5 in plastic box - all RUNPO 5s are delivered from the factory with 2 x RUNPOGLEITER with twist compensation at the beginning and end of the spiral.

INFORMATION

Compatible accessories:

RUNPO5 Strap

20 m | 20240

30 m | 20241

40 m | 20242



RUNPO Z

Ø 4 - 6 mm - 20272

Ø 6 - 9 mm - 20273

Ø 9 - 15 mm - 20274

